

*INDEX MAPS.*

**T. 11 N, R. 2 E. 2<sup>nd</sup> Mer.**

	389	389	388	388	387	387
391	6 413	5 407	4 403	3 399	2 395	1 386
	412	413	407	403	399	395
391	7 412	8 406	9 402	10 398	11 394	12 386
	411	412	406	402	398	394
390	18 411	17 406	16 402	15 398	14 394	13 386
	410	411	405	401	397	393
390	19 410	20 405	21 401	22 397	23 393	24 385
	409	409	405	401	397	393
390	30 409	29 404	28 400	27 396	26 392	25 385
	408	408	404	400	396	392
389	31 408	32 403	33 399	34 396	35 392	36 384
	384	384	383	383	383	383

**T. 12 N, R. 2 E. 2<sup>nd</sup> Mer.**

	422	421	421	420	420	419
424	6 448	5 441	4 436	3 432	2 428	1 419
	446	447	440	436	432	428
423	7 446	8 440	9 436	10 432	11 428	12 419
	445	445	439	435	431	427
423	18 445	17 439	16 435	15 431	14 427	13 418
	444	444	439	434	430	426
422	19 443	20 438	21 434	22 430	23 426	24 418
	443	443	438	434	430	426
422	30 442	29 437	28 433	27 429	26 425	25 417
	442	441	437	433	429	425
422	31 441	32 437	33 433	34 429	35 425	36 417
	417	416	416	415	415	415

Mandates 418

(P) The figures on the lines refer to the page.

Township N.<sup>o</sup> 11. North, Range N.<sup>o</sup> 2 East 2<sup>d</sup> Mer. Indiana

### South Boundary

- West On S. boundary of Sec. 36, T<sup>h</sup> 11 N. R<sup>o</sup> 2 E.
- 40.00 Set the q. Sec. post, from which  
a Beech 8 in. dia. bran N 30° W 66<sup>m</sup>. dist. of  
a Do 9 " " N 37° E 16 "
- 80.00 Set a post Cor. to Sect. 35 & 36, from which  
a D. Oak 20 in. dia. bran N 51° E. 25<sup>m</sup>. dist. of  
a Beech 8 " " N 30° W 5 "
- Over broken land, timber Beech, Oak &c.
- 

- West On S. boundary of Sec. 35, T<sup>h</sup> 11 N. R<sup>o</sup> 2 E.
- 16.15 a Brook 6<sup>th</sup>. wide Cl. N.
- 38.00 Same 6 " " N.
- 40.00 Set the q. Sec. post, from which  
a Beech 18 in. dia. bran N 88° E 21<sup>m</sup>. dist. of  
a Do 12 " " N 87° W 22 "
- 70.41 a Brook 7<sup>th</sup>. wide Cl. N.
- 80.00 Set a post Cor. to Sect. 34 & 35, from which  
a Hickory 14 in. dia. bran N 71° W 20<sup>m</sup>. dist. of  
a Poplar 18 " " N 76° E 45 "
- Over broken land, timber Oak, Beech &c.
- 

- West On S. boundary of Sec. 34, T<sup>h</sup> 11 N. R<sup>o</sup> 2 E.
- 40.00 Set the q. Sec. post, from which  
a Hickory 12 in. dia. bran N 79° W 10<sup>m</sup>. dist. of  
a Sugar 18 " " N 33° E 37 "
- 80.00 Set a post Cor to Sect. 33 & 34, from which  
an Ash 12 in. dia. bran N 39° W 17<sup>m</sup>. dist. of  
a Dogwood 7 " " N 50° E 6 "
- Over broken land, timber Beech &c. and g. Spice.
- 

- West On S. boundary of Sec. 33, T<sup>h</sup> 11 N. R<sup>o</sup> 2 E.
- 40.00 Set the q. Sec. post, from which

S.M.N. R.R. E. 2<sup>nd</sup> Mer. Indiana

a Hickory 20 m. dia. bran 177 E 20 lvs. dist. of  
 a Beech 8 " " 152 E 8 "  
 80.00 set a post Cov. to Sec. 32 & 33, from which  
 a Sugar 18 m. dia. bran 160 97 18 lvs. dist. of  
 a Beech 9 " " 182 E 23 "  
 Over broken land, timber Beech, sugar, poplar  
 &c. under the Spice &c

---

West On S. boundary of Sec. 32, S.M.N. R.R. E.  
 30.50 at Brook 10 lvs. wide C.S. N.W.  
 40.00 set the q. Sec. post, from which  
 a Beech 10 m. dia. bran 199 13 lvs. dist. of  
 a Do 6 " " 170 W 5 "  
 80.00 set a post Cov. to Sec. 31 & 32, from which  
 a W. Oak 20 m. dia. bran 137 E 5 lvs. dist. of  
 a Hickory 13 " " 152 E 7 "  
 Over broken land timber Oak, Beech &c.

---

West, On S. boundary of Sec. 31, S.M.N. R.R. E.  
 40.00 set the q. Sec. post, from which  
 an Ash 13 m. dia. bran 162 E 21 lvs. dist. of  
 a — 14 " " 173 W 47 "  
 42.50 at Brook 15 lvs. wide C.S. N.  
 75.91 intersected the Range line between Range  
 1 & 2 E. of Town 10<sup>th</sup> M.L. at the corner.  
 Over broken land, timber Oak, Beech &c.  
 June 30<sup>th</sup> 1819.

---

East Boundary var. 6. 15' E.

North On E. boundary of Sec. 36, S.M.N. R.R. E.  
 18.00 a Creek 25 lvs. wide C.S. N.W.  
 28.00 a Do 30 " " Mesh  
 30.90 a Sugartree 15 m. dia. in the line

38

M. R. E. I. Mer. Indiana

385

- 40.00 Set the q. Sec post, from which  
a Beech 6 in. dia. bran 146 ft. 6 in. dist. of  
a slo 9 " " 130 ft 15 "
- 80.00 Set a post, Cor. to Sec. 25 & 36, from which  
a sugar 9 in. dia. bran 146 ft 10 in. dist. of  
a slo 18 " " 170 ft 25 "
- Broken land, timber Beech, Sugar, Poplar, Ash  
&c. underg. Spice.
- 

- North On E. boundary of Sec 25, M.R.E.
- 33.47 a sugar 20 in. dia. in the line
- 40.00 Set the q. Sec post, from which  
a Beech 10 in. dia. bran 166 ft 39 in. dist. of  
a slo 14 " " 170 ft 3 " "
- 58.98 a Huckleberry 20 in. dia. in the line
- 64.50 a Creek 58 ft. wide C.P. 1911.
- 80.00 Set a post Cor. to Sec. 24 & 25, from which  
a Beech 10 in. dia. bran 156 ft 16 in. dist. of  
a Beech 16 " " 151 ft 9 " "
- Good farming land, timber, Beech, Sugar, Ash,  
Olm, Buckeye, Huckleberry &c, underg. Spice &c.
- 

- North On E. boundary of Sec. 24, M.R.E.
- 21.00 a Branch 4 ft. wide C.P. 1911.
- 27.58 a Beech 20 in. dia. in the line
- 40.00 Set the q. Sec. post, from which  
a Beech 18 in. dia. bran 152 ft 23 in. dist. of  
a slo 7 " " 169 ft 22 " "
- 67.00 a Branch 4 ft. wide C.P. 1911.
- 78.14 a Beech 25 in. dia. in the line
- 80.00 Set a post Cor. to Sec. 13 & 24, from which  
a Beech 7 in. dia. bran 166 ft 6 in. dist. of  
a slo 18 " " 135 ft 25 " "

Mt. R.R. E. I. Mer. Indiana

Land timber &c. same as on the last mile

- North On E. boundary of 13, T11 N, R22 E.  
 12.23 an Ash 25 in. dia. in. dist. the line  
 23.00 at Branch 4 lbr. wide S. W.  
 40.00 at the q. Sec. post, from which  
     a Beech 10 in. dia. bran N45°W 6 lbr. dist. of  
     an Ash 21 "     "     " 187 E 41 "     "  
 58.00 a Branch 5 lbr. wide S. E. S. W.  
 58.78 a Sugar 27 in. dia. in the line  
 80.00 set a post cor. to Sec. 12 & 13, from which  
     a Beech 9 in. dia. bran N54°E 18 lbr. dist. of  
     a llo 6 "     "     " 1769 E 7 "     "  
 1<sup>st</sup> rate land, timber, Beech, Ash, Sugar, Elm,  
 Cherry &c. under <sup>th</sup> Spice.

- North On E. boundary of Sec. 12, T11 N, R22 E.  
 14.49 a Beech 22 in. dia. in the line  
 40.00 at the q. Sec. post, from which  
     a Beech 20 in. dia. bran N33°E 13 lbr. dist. of  
     a llo 10 "     " 183 P. 30 "     "  
 59.00 a Branch 3 lbr. wide S. E.  
 67.95 a Beech 24 in. dia. in the line  
 80.00 set a post cor. to Sec. 14 & 12, from which  
     a Beech 7 in. dia. bran N87 E 10 dist. of  
     a llo 5 "     " 170 P. 10 "     "  
 Level 2<sup>nd</sup> rate land, timber Beech, Sugar, Sugar,  
 ash, poplar, &c. under <sup>th</sup> Spice & Pawpaw.

- North On E. boundary of Sec. 1, T11 N, R22 E.  
 24.50 a Creek 30 lbr. wide S. E. West.  
 40.00 at the q. Sec. post, from which  
     an Oak 5 in. dia. bran N45°W 10 dist. of

(W)

M. N. R. R. E. I. Mar. Indiana <sup>387</sup>

- a Cherry 6 in. dia. bran N 13 E 18 lbs. dist.  
 61.00 a Creek 50 lbs. wide Cr. S. W.  
 73.58 a Sugar 21 in. dia. in the line  
 79.90 Set a post Cor. to Township N. 11 of 12 N. Range  
 N. 2d & 3d E, from which  
 at Beech 25 in. dia. bran N 26 E 13 lbs. dist. of  
 a Beech 17 " " " N 26 E 25 " "  
 Good farming land, timber, Beech, Poplar, Ash  
 &c. underg. Spice, Beech &c.
- June 29th, 1819

North Boundary var. 7.15' E.

- West On S. boundary of Sec. 36, 1/12 N. R. 2 E.  
 29.50 at Branch 6 lbs. wide Cr. S. W.  
 40.00 Set the q. Sec. post, from which  
 at Beech 6 in. dia. bran N 44 E 13 lbs. dist. of  
 a do 9 " " " S 50 W 7 " "  
 74.50 a Creek 40 lbs. wide Cr. S. W.  
 80.00 Set a post Cor. to Sec. 35 & 36, 1/12 N. R. 2 E from which  
 at Beech 7 in. dia. bran N 19 W 9 lbs. dist. of  
 a do 24 " " " S 6 W 20 " "  
 Broken land, timber Beech, Ash, Sugar &c. underg.  
 Spice &c. Soil good

West On S. boundary of Sec. 35, 1/12 N. R. 2 E.

- 2.40 a Spanish Oak 27 in. dia. in the line  
 22.00 a Branch 6 lbs. wide Cr. N. E.  
 40.00 Set the q. Sec. post, from which  
 at Beech 9 in. dia. bran N 83 E 9 lbs. dist. of  
 a Dogwood 6 " " " N 70 W 10 " "  
 48.90 a Branch 5 lbs. wide Cr. N. E.  
 51.76 a Beech 24 in. dia. in the line  
 80.00 Set a post Cor. to Sec. 34 & 35, 1/12 N. R. 2 E, from which

Met-R.R. E. I. Mer. Indiana

a Beech 9 in. dia. bran N40 E19 1/2 ch. dist. of  
 a Sugar 7 " " " N74 W16 " "  
 First 1/2 broken - 2 1/2 rolling good farming land  
 land, timber Beech, Ash &c. underg. Spice, soil good

**West On S. boundary of Sec. 34, T12 N. R22 E.**

12.80 a Branch 6 ch. wide N.W.

19.10 a also 8 " " N.W.

33.40 a Beech 9 in. dia. with line

40.00 Set the q. of Sec. post, from which  
 a Sugar 7 in. dia. bran N52 W9 1/2 ch. dist. of  
 a Beech 6 " " " N70 E8 "

51.00 a Branch 8 ch. wide C.L. N.W.

64.20 a Beech 15 in. dia. in the line

80.00 Set a post Cor. to Sec. 33 & 34, T12 N. R22 E, from which  
 a Sugar 10 in. dia. bran N41 E10 1/2 ch. dist. of  
 a Beech 12 " " " N62 W10 "  
 Broken land, timber Beech, Ash & Elm,  
 underg. Spice, Beech &c. Soil good

**West On S. boundary of Sec. 33, T12 N. R22 E.**

24.30 a Branch 6 ch. wide C.L. N.W.

34.59 a Sugar 12 in. dia. in the line

40.00 Set the q. of Sec. post, from which  
 a Water Beech 7 in. dia. bran N35 W12 ch. dist. of  
 a Beech 8 " " " 181 E 11 "

69.40 a Beech 15 in. dia. in the line

80.00 Set a post Cor. to Sec. 32 & 33, T12 N. R22 E, from which  
 a Beech 18 in. dia. bran 180 W13 ch. dist. of  
 a also 20 " " " 126 E 26 "

Rolling land good for farming, timber Beech,  
 Sugar, Ash, &c. underg. Spice Soil good

389

M. N. R. R. E. I., Mer. Indiana

West On S. boundary of Sec. 32, M. N. R. R. E. I.  
 4.40 a Beech 12 in. dia. in the line  
 7.25 a Branch 4 in. wide Cr. S. W.  
 33.90 a Do 8 " " N. W.  
 40.00 Set the q. Sec. post, from which  
     a Beech 6 in. dia. bran #83778 in. dist. of  
     a Do 9 " " " 144 E 24 "  
 46.10 a Branch 6 in. wide Cr. North  
 74.25 a Hickory 12 in. dia. in the line  
 80.00 Set a post cor. to Sect. 31 & 32, M. N. R. R. E. I., from which  
     Good farmland, timber Beech, ash, sugar &c.  
     under the Spice &c. Soil good.

West On S. boundary of Sec. 31, M. N. R. R. E. I.  
 20.05 a Branch 4 in. wide Cr. S. W.  
 24.50 a Beech 18 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a Beech 12 in. dia. bran #48770 in. dist. of  
     a Do 20 " " " 123 W 25 "  
 70.00 to the Township Corner. July 3<sup>rd</sup> 1819  
     Broken land, timber Beech, ash, Poplar, sugar &c.  
     under the Spice Soil Good.

West Boundary var. 6.15° E.  
 North On E. boundary of Sec. 36, M. N. R. R. E. I.  
 35.68 a Beech 27 in. dia. in the line  
 37.40 a Branch 15 in. wide Cr. S. W.  
 40.00 Set the q. Sec. post, from which  
     a Beech 18 in. dia. bran #12 W 20 in. dist. of  
     a Do 6 " " " 162 E 5 "  
 46.50 a Creek 25 in. wide Cr. S. W.  
 71.04 a Beech 24 in. dia. in the line  
 80.00 Set a post cor. to Sect. 25 & 36, M. N. R. R. E. I., from which

## M.N. R.R. E. D. Mer. Indiana

a Beech 6 m. dia. bray N64W18th. dist. 5  
 a do 9 " " " S63W32 " "  
 Good farming land, timber Beech, Sugarts, underg.  
 Spice &c.

## North On E. boundary of Sec. 25, M.N. R.R. E.

9.40 a Beech 20 m. dia. in the line  
 14.00 a Creek 100 ft. wide C.S. S.W.  
 40.00 Set the qf. Sec. post, from which  
     a Beech 10 m. dia. bray S30E88th. dist. 5  
     a do 8 " " " N47E19 " "  
 45.50 a Branch 12 ft. wide C.S. S.W.  
 60.00 a Creek 30 ft. wide C.S. S.W.  
 80.00 Set a post Cor. to Sec. 24 & 25, M.N. R.R. E., from which  
     a Sugar 20 m. dia. bray N21E13th. dist. 5  
     a Beech 10 " " " S71E10 " "  
 Good land, timber Beech, Sugarts, underg. Spice

## North On E. boundary of Sec. 24, M.N. R.R. E.

18.84 a W. Oak 43 m. dia. in the line  
 40.00 Set the qf. Sec. post, from which  
     an Oak 20 m. dia. bray S17E11th. dist. 5  
     a Beech 10 " " " S85W15 " "  
 57.94 an Oak 36 " " in the line  
 74.50 a Branch 20 ft. wide C.S. S.W.  
 80.00 Set a post Cor. to Sec. 13 & 24, M.N. R.R. E., from which  
     a Beech 27 m. dia. bray N67E23th. dist. 5  
     a do 12 " " " S47W11 " "  
 Good farming land, timber same as on the last mile

## North On E. boundary of Sec. 13, M.N. R.R. E.

23.39 an Oak 27 m. dia. in the line  
 40.00 Set the qf. Sec. post, from which

391

Mt. R.R. E. T. Mer. Indiana

a Beech 6 m. dia. bran N20W14th dist. of  
 a do 8 " " " N65E10 " "  
 70.62 a Sugar 22 " in the line  
 80.00 Set a post Cor. to Sect. 12 & 13, Mill. R.R. from which  
     a Beech 21 m. dia. bran N86E22th dist. of  
     a do 9 " " " S66W15 " "  
 Broken land, timber. Beech, sugar, Poplar, Ash & Spice

---

North On E. boundary of Sec. 12, Mt. R.R.  
 24.50 a Branch 4th. wide Cr. S. 19<sup>W</sup>  
 31.00 a do 4 " " " J. 19<sup>W</sup>.  
 33.50 a Poplar 36 m. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a Sugar 30 m. dia. bran N63W35th. dist. of  
     a do 24 " " " J44E41 " "  
 80.00 Set a post Cor. to Sect. 12 & 13, Mill. R.R. from which  
     a Beech 10 m. dia. bran N30W33th. dist. of  
     a do 14 " " " J69E32 " "  
 Land timber &c. same as on the last mile

---

North On E. boundary of Sec. 1, Mt. R.R.  
 13.00 a Creek 30th. wide Cr. S. 19<sup>W</sup>.  
 30.25 a Beech 33 m. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a Beech 12 m. dia. bran S62W20th. dist. of  
     a Sugar 10 " " " N25W6 " "  
 64.02 a Beech 25 " in the line  
 78.00 Set a post Corner to Township, Mt. 12 N. Range  
     162 East, from which  
     a Sugar 12 m. dia. bran N80E26th. dist. of  
     a Beech 7 " " " S65W24 " "  
 Land timber &c. same as on the last mile  
 Surveyed by John McDonald, C. S.

---

Mt. PC 2 E. I. Mer. Indiana

Subdivision.

North Between Sect. 35 & 36, Mt. N. R. 2 E.

13.17 a W. Oak 18 in. dia. in the line

40.00 Set the q. Sec. post, from which  
a Beech 20 in. dia. bran. N 62 E 28 deg. dist. of  
a also 4 " " 18 E 14 "

50.35 a Beech 24 " " in the line

80.00 Set a post cor. to Sect. 25, 26, 35 & 36, from which  
a W. Oak 6 in. dia. bran. S 14 W 27 deg. dist. of  
a Sugar 6 " " 18 3 E 8 "

1 $\frac{1}{2}$  mile hilly 3<sup>o</sup> rate last 1/2 mile rolling 2<sup>o</sup> rate  
all the timber on 1 $\frac{1}{2}$  fallen on last pr. Sugar,  
Beech &c. undg. Specie &c.

East On Random between Sect. 25 & 36, Mt. N. R. 2 E

35.50 a Creek 10 lbs. wide C. T. N.W.

39.12 a Spring branch 4 lbs. wide C. T. S. N.W.

40.00 Set the temp. q. Sec. post

78.44 Intersected the E. boundary 19 lbs. N. of corner  
Land hilly 3<sup>o</sup> rate ash, Beech, sugar, undg. Specie

West On true line between Sect. 25 & 36, Mt. N. R. 2 E.

39.22 Set q. Sec. post at average dist. from which  
a Water Beech 6 in. dia. bran. N 35 W 28 deg. dist. of  
an Elm 40 " " 145 W 30 " "

78.44 to Sec. corner

North Between Sect. 25 & 26, Mt. N. R. 2 E.

11.48 a Sugar 10 in. dia. in the line

13.30 a Spring branch 5 lbs. wide C. T. N.W.

24.00 a Creek 25 lbs. wide C. T. N.W.

40.00 Set the q. Sec. post, from which  
a Beech 10 in. dia. bran. N 35 E 15 deg. dist. of

Mt. V. E. I. Mer. Indiana

- a Beech 7 in. diam. bran 15 ft 20 in. distant  
 80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which  
 an Ash 12 in. diam. bran 151 ft 4 in. dist. of  
 a Beech 5 " " 143 E 4 "  
 Land level 1<sup>st</sup>. rate, Ash, Beech, Walnut, Sugar &c.  
 under growth Spice.
- 

- East On Random between Sec. 24 & 25, Mt. V. E.  
 40.00 Set tempf. of. Sec. post  
 80.10 Intersected the E. boundary 115 ft. N. of the corner  
 Land level 1<sup>st</sup>. rate, Ash, Walnut, Sugar &c. undg. Spice
- 

- West On true line between Sec. 24 & 25, Mt. V. E.  
 40.06 Set q. Sec. post at average dist. from which  
 a Beech 6 in. diam. bran 140 ft 26 in. dist. of  
 a Do 20 " " N 4 E 26 " "  
 80.12 to Sec. Corner.
- 

- North Between Sec. 23 & 24, Mt. V. E.  
 9.80 a Beech 14 in. diam. in the line  
 40.00 Set the q. post, from which  
 a Water Beech 7 in. diam. bran 172 ft 6 in. dist. of  
 a Beech 10 " " N 14 E 25 " "  
 61.83 a Beech 18 in. diam. in the line  
 80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which  
 a Sugar 6 in. diam. bran 152 ft 5 in. dist. of  
 a Beech 11 " " N 13 E 28 " "  
 Land level 1<sup>st</sup>. rate, timber Beech, Sugar, Ash, Hick.  
 Walnut &c. undg. Spice &c.
- 

- East On Random between Sec. 13 & 24, Mt. V. E.  
 40.00 Set tempf. of. Sec. post  
 80.20 Intersected the E. boundary 159 ft. N. of the corner

M.N. Rd E. 2<sup>nd</sup> Mer. Indiana

Land level 1<sup>st</sup>, rate - lost 1/2 rate, timber Ash  
Beech, Angar, Walnut &c. undg<sup>th</sup> Spice &c

West On true line between Sec. 13 of 24, M.N. Rd E.  
40.10 Set qf. Sec. post at average dist. from which  
a Beech 10 in. diam. bran. N 88 E 22 lbs. dist. of  
a slo 15 " " " N 64 W 18 " "  
80.20 to Sec. corner.

North Between Sec. 13 of 14, M.N. Rd E.  
20.11 a Beech 2 in. diam. in the line  
40.00 Set the qf. Sec. post, from which  
a Beech 20 in. diam. bran. N 78 E 42 lbs. dist. of  
a slo 30 " " " S 89 W 34 " "  
56.90 a Beech 15 " " in the line  
80.00 Set a post Cor. to Sec. 11, 12, 13 of 14, from which  
a Beech 14 in. diam. bran. S 30 E 23 lbs. dist. of  
a slo 18 " " " N 38 E 24 " "  
Land rolling 2<sup>nd</sup> rate Beech, ash &c. undg<sup>th</sup> Spice  
August 7<sup>th</sup> 1820

East On Random between Sec. 12 of 13, M.N. Rd E.  
40.00 Set temp<sup>f</sup>. qf. Sec. post  
80.50 Intersected the E. boundary 300 lbs. N. of post  
Land level 2<sup>nd</sup> rate, ash, Beech, undg<sup>th</sup> Spice

West On true line between Sec. 12 of 13, M.N. Rd E.  
40.25 Set qf. Sec. post at average dist. from which  
a Beech 10 in. diam. bran. N 87 E 10 lbs. dist. of  
a slo 12 " " " S 86 W 25 " "  
80.50 to Sec. corner.

North Between Sec. 11 of 12, M.N. Rd E

395

M.N. R.R. E. D.<sup>o</sup>. Mer. Indiana

- 18.10 a Beech 30 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a Beech 10 in. dia. bran J22 E 17 th. dist. of  
     a do 12 "     "     N 39 W 14 "     "  
 52.60 a Beech 18 "     "     in the line  
 80.00 Set a post Cor. to Sect. 1, 2, 11 & 12, from which  
     a Beech 15 in. dia. bran N 71 E 28 th. dist. of  
     a do 8 "     "     J 80 W 13 "     "  
 Land level D<sup>o</sup>. rate, ash, Beech &c. undg<sup>th</sup> Spice
- 

*East On Random between Sect. 1 & 2, M.N. R.R. E.*  
 40.00 Set temp<sup>th</sup>, temp<sup>th</sup> q. Sec. post  
 81.86 Intersected the E. boundary 340 th. N. of post  
 Land rolling D<sup>o</sup>. rate, ash, Beech &c. undg<sup>th</sup> Spice

*West On true line between Sect. 1 & 2, M.N. R.R. E.*  
 40.93 Set q. Sec. post at average dist. from which  
     a Beech 18 in. dia. bran J 80 E 11 th. dist. of  
     a do 24 "     "     J 86 W 36 "     "  
 81.86 to Sec. Corner.

---

*North Between Sect. 1 & 2, M.N. R.R. E., D<sup>o</sup>. Mer.*  
 6.16 a Beech 18 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a Cherry 6 in. dia. bran J 81 E 17 th. dist. of  
     a Beech 10 "     "     J 54 W 33 "     "  
 65.85 an Ash 18 "     "     in the line  
 74.16 Intersected the N. boundary 3.95 th. N. of post  
 Set a post Cor. to Sect. 1 & 2, from which  
     a Beech 18 in. dia. bran J 43 W 25 th. dist. of  
     a do 24 "     "     J 49 E 26 "     "  
 Land extremely hilly 3<sup>o</sup>. rate, Beech, W. Oak &c.  
 undg<sup>th</sup> briar thorn &c. August 8<sup>th</sup> 1870

C. S. A. S.

M. N. R. R. E. & W. Mer. Indiana

North Between Sect. 34 & 35, M. N. R. R. E.

9.25 on Oak 30 in. dia. in the line

40.00 Set the q. Sec. post from which

a Sugar 18 in. dia. bran N 70° E 7<sup>1</sup>/<sub>2</sub> m. dist. of

a Beech 6 " " N 57° W 25" "

47.45 a Branch 8<sup>1</sup>/<sub>2</sub> m. wide C. S. N. W.

75.57 a Beech 30 in. dia. in the line

80.00 Set a post Cor. to Sect. 26, 27, 34 & 35, from which

a Beech 18 in. dia. bran N 48° E 15<sup>1</sup>/<sub>2</sub> m. dist. of

a Slo 10 " " N 66° W 23" "

Land very hilly 3<sup>1</sup>/<sub>2</sub> rate, Beech & M. Oak on 1<sup>1</sup>/<sub>2</sub> ac  
timber fallen over last 1/2 mile, undg. briars &c.

East On Random between Sect. 26 & 35, M. N. R. R. E.

3.15 a Branch 4<sup>1</sup>/<sub>2</sub> m. wide C. S. North

40.00 Set tempy. q. Sec. post

77.70 Intersected the N. & S. line 80<sup>1</sup>/<sub>2</sub> m. S. of the corner.

Land hilly 2<sup>1</sup>/<sub>2</sub> rate, Beech, Sugar &c. undg. species

West On true line between Sect. 26 & 35, M. N. R. R. E.

38.85 Set q. Sec. post at average dist. from which

a Beech 15 in. dia. bran N 51° W 31<sup>1</sup>/<sub>2</sub> m. dist. of

a Slo 24" " N 74° W 27" "

77.70 to Sec. corner.

North Between Sect. 26 & 27, M. N. R. R. E.

12.70 at Beech 20 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 10 in. dia. bran S 72° E 15<sup>1</sup>/<sub>2</sub> m. dist. of

a Slo 18" " N 60° W 20" "

42.50 a Creek 25<sup>1</sup>/<sub>2</sub> m. wide C. S. N. W.

70.50 an Elm 30 in. dia. in the line

80.00 Set a post Cor. to Sect. 22, 23, 26 & 27, from which

397

MN RC 2 E. 2<sup>nd</sup> Mer. Indiana

an Ash 30 in. dia. bran N 87 E 15 lbs. dist. of  
a W. Oak 18 " " N 65 W 9 " "  
Land level 1<sup>st</sup> rate Ash, Beech, Poplar, Walnut, Hack-  
berry &c. undg.<sup>th</sup> Spice.

---

East On Random between Sect. 23 & 26, M.N. R.R.E.

40.00 Set tempy. of. Sec. post.

77.40 Intercepted the N & S. line 207 1/2a. S. of the post  
Land level 1<sup>st</sup> rate, timber Ash, Beech, Blk. Walnut,  
Hackberry &c. undg.<sup>th</sup> Spice & pawpaw

---

West On true line between Sect. 23 & 26, M.N. R.R.E.

38.70 Set of. Sec. post at average dist. from which  
a Blue Ash 15 in. dia. bran N 37 E 6 lbs. dist. of  
an Ash 10 " " " N 63 W 37 " "

77.40 to the Sec. Corner

---

North Between Sect. 22 & 23, M.N. R.R.E.

22.32 a Beech 18 in. dia. in the line

40.00 Set the of. Sec. post, from which  
a Beech 30 in. dia. bran N 58 E 27 lbs. dist. of  
a Poplar 40 " " " 188 W 35 " "

69.50 a Beech 10 " " in the line

80.00 Set a post on to Sect. 14, 15 or 22 & 23, from which  
a Beech 18 in. dia. bran N 89 E 26 lbs. dist. of  
a Do 20 " " " South 27 " "  
Hilly 1<sup>st</sup>/2 2<sup>nd</sup> rate last 1/2 3<sup>rd</sup> rate, undg.<sup>th</sup> Spice

---

East On Random between Sect. 14 & 23, M.N. R.R.E.

40.00 Set tempy. of. Sec. post

77.75 Intercepted the N & S. line 200 lbs. S. of the post,  
Land hilly 3<sup>rd</sup> rate, ash, Beech &c. undg.<sup>th</sup> Spice

August 9<sup>th</sup> 1890

---

M.M.-R.R.E.I. Mer. Indiana

West On true line between Sec. 14 & 23, Tll N. R2 E.  
 38.87 Set q. Sec. post at average dist. from which  
 a Beech 15 in. dia. bran N55°E 12 lb. dist. of  
 a Do 12 " " N78°W 12 " "  
 77.75 to Sec. corner

---

North Between Sec. 14 & 15, M.M. R2 E.  
 10.70 a Beech 24 in. dia. bran in the line  
 40.00 Set the q. Sec. post, from which  
 a Beech 30 in. dia. bran N56°W 24 lb. dist. of  
 a Sugar 6 " " " S17°E 23 " "  
 45.70 a Beech 13 " " in the line  
 80.00 Set a post cor. to Sec. 10, 11, 14 & 15 from which  
 a Lynn 15 in. dia. bran N83°E 12 lb. dist. of  
 an Ash 10 " " " S78°W 22 " "  
 Land hilly 3<sup>rd</sup> rate Ash, Beech, W. Oak & under-  
 growth Green briar, Dogwood &c

---

East On Random between Sec. 11 & 14, M.M. R2 E.  
 40.00 Set tempy. q. Sec. post  
 77.76 Intersected the N of S. line 180 ft. S. of the post.  
 Land hilly 3<sup>rd</sup> rate, Beech, Ash, Sugar, and J. Spice

---

West On true line between Sec. 11 & 14, Tll N. R2 E.  
 38.88 Set q. Sec. post at average dist. from which  
 a Beech 17 in. dia. bran N46°E 28 lb. dist. of  
 an Oak 24 " " " N39°W 33 " "  
 77.76 to Sec. corner

---

North Between Sec. 10 & 11, M.M. R2 E.  
 29.08 a Hickory 15 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Beech 10 in. dia. bran N25°E 16 lb. dist. of

399

I.M.R.R. E.D. Mar. Indiana

a Hickory 96 in. dia. bran 183 ft 6 lbs. dist. of  
67.60 a Beech 24 " " in the line  
80.00 Set a post Cor. to Sect. I, 3, 10 & 11. from which  
a Beech 6 in. dia. bran 163 ft 18 lbs. dist. of  
a Do 25 " " N 41 W 36 " "  
Hilly 3<sup>d</sup> rate Ash, Beech, W. Oak, Poplar &c. under-  
g<sup>th</sup> Spice & Green briar.

East On Random between Sect. 2 & 11, I.M.R.R.E.  
40.00 Set tempy. of Sec. post  
77.67 Intersected the N. S. line 60 ft. N. of the post  
Land rolling 2<sup>d</sup> rate, Beech, Ash & undg. Spice.

West On true line between Sect. 2 & 11, I.M.R.R.E.  
38.83 Set q. Sec. post at average dist. from which  
a Beech 7 in. dia. bran 151 ft 6 lbs. dist. of  
a Do 10 " " N 87 W 27 " "  
77.67 to Sec. corner

North Between Sect. 2 & 3, I.M.R.R.E.  
11.92 an Ash 32 in. dia. in the line  
40.00 Set the q. Sec. post, from which  
a sugar 12 in. dia. bran 155 ft 27 lbs. dist. of  
a Do 10 " " N 34 W 12 " "  
60.90 a Beech 24. " in the line  
76.75 Intersected the N. boundary 285 ft. N. of the post,  
Set a post Cor. to Sect. I, 2 & 3, from which  
a Beech 24 in. dia. bran 156 ft 15 lbs. dist. of  
a Do 18 " " N 81 E 20 " "  
Land hilly, and last rate, timber, Beech, Ash, W. Oak,  
W. Oak &c. undg. Briar &c. Aug<sup>th</sup> 10. 1821

North Between Sect. 33 & 34, I.M.R.R.E.

M.N.R.R.E. T<sup>o</sup>. Mer. Indiana

- 15.93 at S. Oak 20 in. dia., in the line  
 40.00 Set the q. Sec. post, from which  
     a Beech 18 in. dia., bran N47 E39 1/2 in. dist. of  
     a Poplar 18 "     "     S37 W25. "  
 60.32 at Beech 24, " in the line  
 80.00 Set a post cor. to Sect. 27, 28, 33 & 34, from which  
     a Beech 12 in. dia., bran N68 W21 1/2 in. dist. of  
     a Hick. 14 "     "     S20 W13 "     "  
 Hilly 3<sup>d</sup> rate ash, Oak, Beech &c. undg. Dogw. Strin.
- 

East On Random between Sect. 27 & 34, M.N.R.R.E.

38.00 a Branch 10 1/2 in. wide C.S. S.W.

40.00 Set temp. q. Sec. post

78.20 Intersected the N of S. line 168 1/2 in. S. of the post  
 Land level D<sup>o</sup>, rate Beech, Oak, Poplar &c.  
 underg. Spec of tree.

---

West On true line between Sect. 27 & 34, M.N.R.R.E.

39.10 Set q. Sec. post, at average dist. from which  
     a Beech 6 in. dia., bran S50 W31 1/2 in. dist. of  
     a Do 6 "     "     N51 W24 "     "

78.20 to Sec. corner.

---

North Between Sect. 27 & 28, M.N.-R.R.E.

6.33 a Beech 20 in. dia. in the line

31.00 a Creek 10 1/2 in. wide C.S. S.W.

40.00 Set the q. Sec. post, from which

    a Beech 30 in. dia., bran N20 W7 1/2 in. dist. of  
 a Do 20 "     "     S75 E26 "     "

65.90 a W. Oak 24 "     " in the line

80.00 Set a post cor. to Sect. 21, 22, 27 & 28, from which  
     a Beech 36 in. dia., bran S30 E10 1/2 in. dist. of  
     a Do 10 "     "     N16 E30 "     "

401

M-N-R.Y.E. I<sup>nd</sup>. Mer. Indiana

Level 3<sup>rd</sup> rate, Beech, Poplar, Sugar &c. undg.<sup>th</sup> Spice.

East On Random between Sect. 22 & 27, Ill N. R.R.E.

40.00 Set tempf. q. Sec. post

79.25 Intersected the N.Y.S. line 75 lbs. S. of corner.

Land level 3<sup>rd</sup> rate, Beech, Ash, Hickory, W. Oak &c. undg.<sup>th</sup> Spice & Wanpan. Aug. 11<sup>th</sup> 1820

West On true line between Sect. 22 & 27, Ill N. R.R.E.

39.62 Set q. Sec. post, <sup>at average dist.</sup> from which

a Beech 6 in. diam. bran N 22 E 20 lbs. dist. of  
a do 10 " " " 112 97 31 " "

79.25 to Sec. corner.

North Between Sect. 21 & 22, Ill N. R.R.E.

12.60 a Beech 13 in. diam. in the line

40.00 At the q. Sec. post, from which

a Beech 10 in. diam. bran N 80 97 19 lbs. dist. of  
a do 10 " " " N 3 E 24 " "

50.34 a Beech 18 " " in the line

80.00 Set a post cor. to Sect. 15, 16, 21 & 22, from which

a Sassafras 10 in. diam. bran N 19 E 20 lbs. dist. of  
a Beech 4 " " " N 37 11 17 " "

Land hilly 3<sup>rd</sup> rate ash, beech &c. undg.<sup>th</sup> Spice & Wanpan.

East On Random between 15 & 22, Ill N. R.R.E.

40.00 Set tempf. q. Sec. post

78.00 Intersected the N.Y.S. <sup>line</sup> 14 lbs. S. of the corner  
Hilly 3<sup>rd</sup> rate, Beech, W. Oak &c. undg.<sup>th</sup> Spice.

West On true line between Sect. 15 & 22, Ill N. R.R.E.

39.00 Set q. Sec. post at average dist. from which  
a sugar 6 in. diam. bran N 81 E 16 lbs. dist.

MN-R2E. 2<sup>nd</sup> Mer. Indiana

a Beech 18 in. dia. bran N 79° W 14 lbs. dist.  
78.00 to Sec. corner.

North Between Sect. 15 & 16, MN.R2E.

15.35 a Beech 24 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 22 in. dia. bran N 87° E 21 lbs. dist. of  
a Do 36 " " " N 79° W 22 " .

73.95 a Poplar 48 " " in the line

80.00 Set a post Cor. to Sect. 9, 10, 15 & 16, from which

a Beech 24 in. dia. bran N 51° E 22 lbs. dist. of  
a Do 6 " " " N - W 12 " "

Land Hilly 3<sup>rd</sup> rate, Ash, Beech, Oak, &c, undg.  
Spice, green briar, whortleberry, beech &c.

East On Random between Sect. 10 & 15, MN.R2E.

40.00 Set temp. q. Sec. post

77.80 Intersected the N of S. line at the post

Hilly 3<sup>rd</sup> rate, W. Oak, Beech, undg. Greenbrier  
Dogwood, Oak &c.

West On tree line between Sect. 10 & 15, MN.R2E.

38.90 Set the q. Sec. post at average dist. from which

a Beech 24 in. dia. bran N 75° E 10 lbs. dist. of  
a Do 24 " " " N 86° W 14 " "

77.80 to Sec. corner.

North Between Sect. 9 & 10, MN.R2E.

17.54 an Ash 30 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Beech 6 in. dia. bran N 78° E 15 lbs. dist. of  
a Do 10 " " " N 50° W 23 " .

60.81 a Sugar 24 " " in the line

~~403~~  
M-N-R.R.E. I. Mer. Indiana

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which  
a Beech 20 in. dia. bran N 70° E 23 lbs. dist. of  
a Sugar 5 " " " I 40 W 16 " "  
Hilly 3<sup>rd</sup> rate, Beech, Hickory &c. undg<sup>th</sup> green briar &c.

---

East On Random between Sec. 3 & 10, M-N-R.R.E.

40.00 Set temp. q. Sec. post

78.16 Intersected the N & S. line 89 lbs. S. of the post  
Land rolling 2<sup>nd</sup> rate, Beech, Ash, hickory &c.  
undg<sup>th</sup> Spice, Dogwood &c.

---

West On true line between Sec. 3 & 10, M-N-R.R.E.

39.08 Set q. Sec. post at average dist. from which a  
W. Oak 24 in. dia. bran South 17 lbs. dist. of  
a Beech 20 " " " I 77 E 15 " "

78.16 to See corner

---

North Between Sec. 3 & 4, M-N-R.R.E.

20.21 a Beech 20 in. dia. in the line

40.00 Set the q. Sec. post, from which  
a Beech 20 in. dia. bran N 38 W 11 lbs. dist. of  
a Do 5 " " " I 33 E 18 " "

56.50 a Beech 24 " " in the line

72.53 Intersected the N. boundary 165 lbs. N. of the post  
Set a post Cor. to Sec. 3 & 4, from which

a Beech 30 in. dia. bran N 32 W 40 lbs. dist. of  
a Sugar 4 " " " I 9 E 20 " "

Hilly 3<sup>rd</sup> rate, Beech, Ash &c. undg<sup>th</sup> briar &c.

August 12<sup>th</sup>. 1870

---

North Between Sec. 32 & 33, M-N-R.R.E.

17.80 a Sugar 18 in. dia. in the line

35.50 a Stream 6 lbs. wide C. E.

404

M.M.-R.R.E.I. Mer. Indiana

40.00 Set the q. Sec. post, from which  
 a Gum 24 in. dia. bran N 30 E 9 lvs. dist. of  
 a Sugar 20 " " J 50 H 30 " "  
 69.00 a Sugar 24 " " in the line  
 80.00 Set a post Cor. to Sect. 28, 29, 32 & 33, from which  
 a Sugar 24 in. dia. bran J 28 H 27 lvs. dist. of  
 a Beech 24 " " J 23 E 49 " "  
 Sand hilly 3<sup>rd</sup> rate Beech, W. Oak &c. undg. briars

---

East On Random between Sect. 28 & 33, Ill. N. R.R. E.

20.00 a stream 15 lvs. wide C.R. N.W.

40.00 Set temp. q. Sec. post

78.77 Intersected the N.H.S. line 50 lvs. N. of corner  
 Land level 3<sup>rd</sup> rate, Beech, W. Oak, undg. water  
 Beech &c.

---

West On true line between Sect. 28 & 33, Ill. N. R.R. E.

39.38 $\frac{1}{2}$  Set q. Sec. post, from which

a Beech 18 in. dia. bran N 67 E 23 lvs. dist. of  
 a Do 12 " " J 66 H 20 " "

78.77 to Sec. corner

---

North Between Sect. 28 & 29, Ill. N. R.R. E. 2<sup>nd</sup> Mer.

9.50 a Creek 20 lvs. wide C.R. N.W.

20.50 Same 20 lvs. " " N.E.

25.00 Same 20 lvs. " " N.W.

26.00 a Beech 18 in. dia. in the line

40.00 Set q. Sec. post from which  
 a Beech 12 in. dia. bran N 65 H 11 lvs. dist. of  
 a Do 15 " " J 28 E 28 " "

69.45 an Ash 20 " " in the line

80.00 Set a post Cor. to Sect. 20, 21, 28 & 29, from which  
 a Beech 10 in. dia. bran N 82 E 23 lvs. dist. of

405

Mt. R.R.E. I. Mer. Indiana

a Beech 8 in. dia. bran N 57 W 13 deg. dist.  
Land level 3<sup>o</sup> rate

---

East On Random between Sec. 21 & 28, Mt. R.R.E.  
40.00 Set temp. of Sec. post  
78.82 intersected the N. S. line 1.19 lbs. N. of the post  
Land rolling 3<sup>o</sup> rate, Ash, Beech, Oak, Hickory  
underg. Spice &c

---

West On true line between Sec. 21 & 28, Mt. R.R.E.  
39.49 Set of Sec. post at average dist. from which  
a Beech 20 in. dia. bran N 50 E 10 deg. dist. of  
a Do 30 " " " 155 W 13 " "  
78.82 to Sec. corner.

---

North Between Sec. 20 & 21, Mt. R.R.E. I. Mer.  
14.70 a Beech 12 in. dia. in the line  
40.00 At the of Sec. post, from which  
a Beech 10 in. dia. bran N 75 E 11 deg. dist. of  
a Do 10 " " " 134 W 37 " "  
57.90 a Beech 20 " " in the line  
80.00 Set a post Cov. to Sec. 16 & 17, 20 & 21, from which  
a Beech 26 in. dia. bran N 63 E 18 deg. dist. of  
a Do 18 " " " 180 W 23 " "  
Land level 3<sup>o</sup> rate, Ash, Beech &c. underg. Spice.

---

East On Random between Sec. 16 & 21, Mt. R.R.E.  
40.00 Set temp. of Sec. post  
78.50 Intersected the N. S. line 8 lbs. S. of the post  
Land hilly 3<sup>o</sup> rate, Beech, Poplar, Sugar &c.  
underg. Spice, Sassafras &c. August 14<sup>th</sup> 1820

---

West On true line between Sec. 16 & 21, Mt. R.R.E.

M N R R E. I. Mer. Indiana

39.25 Set q. Sec. post, at average dist. from which  
at Beech 13 in. dia. bray N 42 W 38 th. dist. of  
a Buckeye 10 " " S 13 W 22 " "  
78.50 to Sec. Corner.

---

North Between Sec. 16 & 17, M N R R E.

36.57 a Poplar 4 in. dia. in the line  
40.00 Set tw. q. Sec. post, from which  
a Beech 14 in. dia. bray S 50 E 11 th. dist. of  
a Dog 4 " " S 75 W 15  
74.13 a Beech 20 " " in the line  
80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which  
a Hickory 12 in. dia. bray S 72 W 26 th. dist. of  
a Beech 6 " " N 70 E 14 " "  
Sand hill 3<sup>rd</sup> rate, Oak, Hickory, Beech etc.  
~~under~~ green briar & whortleberry.

---

East On Random between Sec. 9 & 16, M N R R E.

40.00 Set temp. q. Sec. post  
77.70 Intersected the N. S. line. 95 th. S. of post  
Sand hill 3<sup>rd</sup> rate, Beech, Ash, Hickory, and  
Green briar & Whortleberry.

---

West On true line between Sec. 9 & 16, M N R R E.

38.85 Set q. Sec. post at average dist. from which  
a Beech 18 in. dia. bray N 42 W 10 th. dist. of  
a Dog 6 " " N 61 E 28 " "  
77.70 to Sec. Corner

---

North Between Sec. 8 & 9, M N R R E.

34.83 a Beech 12 in dia in the line  
40.00 Set tw. q. Sec. post, from which  
a Dogwood 6 in. dia. bray S 22 E 14 th. dist. of

407

M N R R E. I. Mer. Indiana

- a Beech 4 in. dia. bran N 22 W 38 th. dist.  
 50.80 a Beech 20 " in the line  
 80.00 Set a post Cor. to Sec. 4, 5, 8 & 9, from which  
 an Ash 12 in. dia. bran N 63 E 16 th. dist. of  
 a Beech 10 " " " S 76 W 21 " "  
 Land rolling 3<sup>rd</sup> rate Beech, ash, oak & sugar, under-  
 g. greenbrier & Spice

East On Random between Sec. 4 & 9, M N R R E.

- 40.00 Set temporary q. Sec. post  
 78.38 Intersected the N of S. line 130 th. S. of post  
 Hilly 3<sup>rd</sup> rate, Beech, ash, Oak & sugar,  
 under g. Spice, Sassafras &c.

West On true line between Sec. 4 & 9, M N R R E.

- 39.19 Set q. Sec. post at average dist. from which  
 a Beech 8 in. dia. bran S 4 W 4 th. dist. of  
 a Sugar 20 " " " N 50 E 44 " "  
 78.38 to Sec. corner. Aug. 15<sup>th</sup>. 1820.

North Between Sec. 4 & 5, M N R R E. 2<sup>nd</sup> Mer.

- 26.15 a sugar 18 in. dia. in the line  
 40.00 Set the q. Sec. post. from which  
 a Beech 4 in. dia. bran S 88 E 15 th. dist. of  
 a Do 7 " " " N 75 W 33 " .  
 64.22 a Poplar 60 " in the line  
 72.90 Intersected the N. boundary 97 th. W. of post  
 Set a post Cor. to Sec. 4 & 5, from which  
 an ironwood 4 in. dia. bran S 53 E 14 th. dist. of  
 a Beech 12 " " " N 65 W 13 " "  
 Land hilly 3<sup>rd</sup> rate, Beech, sugar, Poplar, oak  
 under g. Spice. &c.

M.M.-R.R.E. I.<sup>o</sup> Mer. Indiana

North Between Sec. 31 & 32, M.M.R.R.E.

9.25 a Spring

29.52 a Poplar 39 in. dia. in the line

40.00 Set the q. Sec. post, from which  
a Sugar 4 in. dia. bran 165 E 66 ft. dist. of  
a Slo 4 " " N 10 E 15 " "

61.90 a Beech 20 " " in the line

68.00 a Branch 36 in. wide C.P. N.W.

80.00 Set a post cor. to Sec. 29, 30, 31 & 32, from which  
an Ash 24 in. dia. bran 15 W 35 ft. dist. of  
a Water Ash 24 " " N 25 W 20 " "

Land hilly 3<sup>rd</sup> rate, Beech, Ash, Hickory, Oak,  
maple, birch &c.

West Between Sec. 30 & 31, M.M.R.R.E.

22.95 a Hickory 15 in. dia. in the line

40.00 Set the q. Sec. post, from which

a Sugar 18 in. dia. bran 170 E 19 ft. dist. of  
a Beech 30 " " N 50 W 26 " "

47.38 an Elm 24 " " in the line

72.72 Intersected the N. boundary 217 ft. S. of the post

Set a post cor. to Sec. 30 & 31, from which

a Sugar 18 in. dia. bran West 19 ft. dist. of

a Waterbeech 5 " " N 48 E 17 " "

Land level 2<sup>nd</sup> rate, Ash, Beech, Hickory, water  
Beech &c.

East On Random between Sec. 29 & 32, M.M.R.R.E.

15.50 a Branch 46 ft. wide C.P. N.

38.20 a Slo 4 " " N.

40.00 Set tempf. q. Sec. post

79.25 Intersected the N. & S. line 330 ft. S. of the post  
Rolling 2<sup>nd</sup> rate, Beech, Sugar, Oak &c.

409

McN-RD E. I<sup>n</sup>diana

West On true line between Sec. 29 & 30  
39.62 set qt. Sec. post at average dist. from which  
a Beech 10 m. dia. bran N 45° W 22 deg. dist. of  
a Beech 30 " " " N 68° E 32 " .  
79.25 to Sec. Corner.

---

North Between Sec. 29 & 30, McN. Rd E.  
17.70 a Creek 20 ft. wide Cr. S. 19 W.  
23.45 a Beech 15 m. dia. in the line  
40.00 set the qt. Sec. post, from which  
a Beech 24 m. dia. bran N 63° E 71 deg. dist. of  
a Do 10 " " " S 37° W 13 " "  
61.75 a Beech 24 " " in the line  
80.00 set a post Cor. to Sec. 19, 20, 29 & 30, from which  
a Beech 6 m. dia. bran S 37° W 24 deg. dist. of  
a Do 24 " " " N 20° W 25 " "  
Land hilly 3<sup>rd</sup> rate, Ash, hickory, Oak underg<sup>th</sup>.  
Spice & briar.

---

East On Random between Sec. 20 & 29, McN. Rd E.  
40.00 set tempy. qt. Sec. post  
79.30 intersected the N & S. line 375 ft. S. of the post  
1<sup>st</sup> Jr. hilly - last 1/2 level 3<sup>rd</sup> rate ash, Beech,  
underg<sup>th</sup>. Ash, Briar &c.

---

West On true line between Sec. 20 & 29, McN. Rd E.  
39.65 set qt. Sec. post at average dist. from which  
a Maple 20 m. dia. bran S 85° E 11 deg. dist. of  
an Oak 10 " " " S 10° W 15 " "  
79.30 to Sec. Corner.

---

West Between Sec. 19 & 30, McN. Rd E.  
17.50 a sugar 15 m. dia. in the line

McN-R.I.E.D.<sup>o</sup> Mer. Indiana

40.00 Set the q. Sec. post, from which  
 a Beech 6 in. dia. bran N55 E88 lbs. dist. of  
 a Do 20 " " N64 W27 " "  
 55.16 a Swp. Ash 24 " " in the line  
 72.37 Intersected the W. boundary 205 lbs. N. of post  
 Set a post Cor. to Sect. 19 & 20, from which  
 a Beech 36 in. dia. bran N37 E88 lbs. dist. of  
 a Do 28 " " N78 W32 " "  
 Land hilly 3<sup>rd</sup> rate, Beech, Swamp Ash, hickjy,  
 Oak &c. underg. Spice & Green briar.

---

North Between Sect. 19 & 20, McN.R.I.E.

19.90 an Ash 24 in. dis. in the line  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 48 in. dia. bran N41 E88 lbs. dist. of  
 a Beech 10 " " N44 W31 " "  
 62.87 a W. Oak 18 " " in. dia. in the line  
 80.00 Set a post Cor. to Sect. 17, 18, 19, 20, from which  
 a Dogwood 7 in. dia. bran N52 W66 lbs. dist. of  
 a Beech 8 " " N25 E76 " "  
 Land hilly 3<sup>rd</sup> rate, W. Oak, Beech, &c. underg.  
 Green briar, Passiflora &c. Aug. 16<sup>th</sup>. 1820

---

West Between Sect. 18 & 19, McN.R.I.E.

18.12 a W. Oak 30 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Beech 6 in. dia. bran N71 E12 lbs. dist. of  
 a Do 10 " " N40 W36 " "  
 55.10 an Elm 20 " " in the line  
 56.00 a Spring.  
 71.88 Intersected the W. boundary 178 lbs. N. of the post  
 Set a post Cor. to Sect. 18 & 19, from which  
 a Beech 7 in. dia. bran N57 W15 lbs. dist. of

411

~~Mr.~~ M. N. R. D. E. I. Mer. Indiana

a Beech 10 m. dia. bray N 83 E 25 lbs. dist. of  
Hilly 3<sup>rd</sup> rate, Beech, Oak &c. underg<sup>th</sup>. Birch &  
Sassafras &c

**East** On Random between Sect. 17 & 20, M. N. R. D. E.

40.00 Set tempf. of Sec. post

79.50 Intersected the N of S. line 5.35 lbs. S. of the post  
Land hilly 3<sup>rd</sup> rate Oak, Beech &c. undg<sup>th</sup>. Spice

**West** On true line between Sect. 17 & 20, M. N. R. D. E.

39.75 Set qf. Sec. post at average dist. from which  
an Ironwood 6 m. dia. bray N 07 W 25 lbs. dist. of  
a W. Oak 36 " " N 10 E 15 " "

79.50 to Sec. corner.

**North** Between Sect. 17 & 18, M. N. R. D. E. 2<sup>nd</sup> Mer.

24.16 a Beech 10 m. dia. in the line

40.00 Set the qf. Sec. post, from which  
a Hickory 15 m. dia. bray N 50 E 13 lbs. dist. of  
a Beech 5 " " J 38 W 10 " "

55.20 a Beech 36 " " in the line

80.00 Set a post Cov. to Sect. 7, 8, 17 & 18, from which  
a Beech 10 m. dia. bray N 43 E 19 lbs. dist. of  
a Do 10 " " J 39 W 13 " "

Hilly 3<sup>rd</sup> rate, Beech, Oak &c. undg<sup>th</sup>. Sassafras &c

**West** Between Sect. 7 & 18, M. N. R. D. E.

26.00 a Walnut 10 m. dia. in the line

40.00 Set the qf. Sec. post, from which  
a Beech 30 m. dia. bray N 39 W 5 lbs. dist. of  
a Do 6 " " J 39 E 12 " "

44.75 a Branch 3 lbs. wide C. S. E.

53.78 a Beech 18 m. dia. in the line

III N - R 2 E. I<sup>o</sup>. Mar. Indiana

- 70.71 Intersected West boundary 153 ft. N. of the post  
at a post cor. to Sec. 7 of 18, from which  
a Beech 6 in. dia. bran N 12° W 13 ft. dist. of  
a Do 20. " " N 37° E 39 " .  
1<sup>st</sup> 3/4 Hilly - last pt. level all 3<sup>rd</sup> rate, Beech, Ash,  
Oak &c. underg. <sup>the</sup> Briar
- 

- East On Random between Sec. 8 & 17, III N. R 2 E.  
40.00 Set temp. of. Sec. post  
79.50 Intersected the N of S. line 504 ft. S. of post  
Land hilly 3<sup>rd</sup> rate, Beech, Oak &c. underg. <sup>the</sup> briar.
- 

- West On true line between Sec. 8 & 17, III N. R 2 E.  
39.77 Set of. Sec. post at average dist. from which  
a Hickory 6 in. dia. bran N 24° W 10 ft. dist. of  
a W. Oak 26 " " " N 28° E 48 " .  
79.54 to Sec. corner. Aug. 17<sup>th</sup> 1820
- 

- North Between Sec. 7 & 8, III N. R 2 E.  
30.15 a Beech 10 in. dia. in the line  
40.00 Set the of. Sec. post. from which  
an Ironwood 6 in. dia. bran N 19° W 8 ft. dist. of  
a Hickory 6 " " " N 20° W 15 " .  
62.28 a Beech 10 " " in the line  
80.00 Set a post cor. to Sec. 5, 6, 7 & 8, from which  
a Poplar 10 in. dia. bran N 56° E 15 ft. dist. of  
a Do 6 " " " N 62° W 10 " .  
Hilly 3<sup>rd</sup> rate, Poplar, Beech, B. W. Oak, under-  
g. <sup>the</sup> Briar &c.
- 

- West Between Sec. 6 & 7, III N. R 2 E.  
23.70 a sugar 10 in. dia. in the line  
24.33 a stream 8 ft. wide ex. N.W.

413

M. N. R. R. E. I. Mer. Indiana

- 40.00 At the qf. Sec. post, from which  
a Beech 6 in. diam. bran N 77 W 18 th. dist. of  
a Sugar 7 " " " N 78 E 24 " "  
62.96 a Sugar 15 " " in the line  
70.50 Intersected the W. boundary 221 th. of the post  
Set a post Cor. to Sec. 6 & 7, from which  
a Beech 10 in. diam. bran N 72 W 17 th. dist. of  
a Elm 8 " " " N 74 E 23 " "  
Hilly 3<sup>rd</sup> rate, Beech, Sugar, Poplar, &c.
- 

East On Random between Sec. 5 & 8

- 40.00 Set temp. qf. Sec. post  
78.80 Intersected the N & S. line 5.78 South of post  
Hilly 3<sup>rd</sup> rate, Beech, Hickory, Poplar &c. undg.  
Spice, holly &c.
- 

- West On true line between Sec. 5 & 8, 311 N. 12 2 E.  
39.40 At qf. Sec. post at average dist. from which  
a Beech 8 in. diam. bran North 26 th. dist. of  
a Elm 9 " " " S 33 W 8 " "  
78.80 to Sec. Corner.
- 

North Between Sec. 5 & 6, 311 N. 12 2 E.

- 19.50 a Beech 30 in. diam. in the line  
40.00 Set the qf. Sec. post, from which  
a Beech 10 in. diam. bran N 44 E 21 th. dist.  
an Elm 5 " " " N 65 W 22 " "  
62.50 a Poplar 60 " " in the line  
78.04 Intersected the N. boundary 50 th. W. of post  
Set a post Cor. to Sec. 5 & 6, from which  
a Beech 12 in. diam. bran N 25 E 12 th. dist. of  
a Sp. Oak 15 " " " N 19 E 30 " "  
Land level 2<sup>nd</sup> rate, Ash, Beech, Poplar &c.

Twp. N. Range N. E. 2<sup>nd</sup> Mer. Indiana

undergrowth Spice &c. August 18<sup>th</sup>. 1820  
Surveyed by Basil Bentley, Dep. Sur.

We John Brown, John Chambers, John Gushwa and Gen. Grover, do solemnly swear in the presence of Almighty God, that in all measurements in which we shall be employed as chaincarriers in the public surveys, we will faithfully and impartially execute the duties of the trust reposed in us to the best of our skill and abilities: so help us God.

John P. Brown  
Chairman

John Chambers  
Gen. Grover

John Gushwa  
Apxman

Swear and Subscribed before me this 7<sup>th</sup>  
day of August 1820      B. Bentley, Dep. Sur.

Certified

I Certify that the foregoing transcript of field notes of Township N. W. Range N. E. 2<sup>nd</sup> Mer. Indiana has been compared with the original notes in this Office & found to be correct.

Surveyor General's Office  
Cincinnati, March 11<sup>th</sup> 1841

E. S. Peirce  
Sur. Genl.